

# cfinvoke

## Description

Invokes component methods from within a ColdFusion page or component. You use this tag to reference a WSDL file and consume a web service from within a block of CFML code.

## Category

Other

## Implemented

## Usage Syntax

```
[component="Any"]  
[method="String"]  
[returnvariable="String"]  
[argumentcollection="Struct"]  
[username="String"]  
[password="String"]  
[webservice="String"]  
[timeout="number"]  
[proxyserver="String"]  
[proxyport="number"]  
[proxyuser="String"]  
[proxypassword="String"]  
[serviceport="String"]  
/>
```

*[] = Optional attribute*

## Attributes

## Contents

- [cfinvoke](#)
- [Description](#)
- [Category](#)
- [Implemented](#)
- [Usage Syntax](#)
- [Attributes](#)
- [Example Usage](#)

<b>Name</b>	<b>Type</b>	<b>Required</b>	<b>Default</b>	<b>Description</b>
component	Any	No		
method	String	No		
returnvariable	String	No		
argumentcollection	Struct	No		
username	String	No		
password	String	No		
webservice	String	No		
timeout	number	No		
proxyserver	String	No		
proxyport	number	No		
proxyuser	String	No		
proxypassword	String	No		
serviceport	String	No		

## **Example Usage**