

cfoutput

Description

Displays the results of a database query or other operation. To nest cfoutput tags, see the "Usage" section.

Category

Other

Implemented

Usage Syntax

```
[query="String"]  
[group="String"]  
[groupCaseSensitive="Boolean"]  
[startRow="number"]  
[maxRows="number"]  
/>
```

[] = Optional attribute

Attributes

Contents

- [cfoutput](#)
- [Description](#)
- [Category](#)
- [Implemented](#)
- [Usage Syntax](#)
- [Attributes](#)
- [Example Usage](#)

Name	Type	Required	Default	Description
query	String	No		<p>The name of the cfquery from which to draw data for the output section.</p> <p>Specifies the query column to use when you group sets of records together. Use this attribute if you have retrieved a record set ordered on a certain query column. For example, if a record set is ordered according to "CustomerID" in the cfquery tag, you can group the output on "CustomerID." The group attribute, which is case sensitive, eliminates adjacent duplicates when the data is sorted by the specified field. See the groupCaseSensitive attribute for information about specifying a case insensitive grouping.</p>
group	String	No		<p>Boolean indicating whether to group by case. The default value is YES; case is considered while grouping. If the query attribute specifies a query object that was generated by a case-insensitive SQL query, set the groupCaseSensitive attribute to NO to keep the recordset intact.</p>
groupCaseSensitive	Boolean	No		
startRow	number	No		Specifies the row from which to start output.
maxRows	number	No		Specifies the maximum number of rows to display in the output section.

Example Usage