

Contents

- [cfdocumentsection](#)
- [Syntax](#)
- [Description](#)
- [Body](#)
- [Attributes](#)

Return to [Tags](#) or [Functions](#)

cfdocumentsection

Syntax

```
[authpassword="string"]  
[authuser="string"]  
[marginbottom="number"]  
[marginleft="number"]  
[marginright="number"]  
[margintop="number"]  
[mimetype="string"]  
[name="string"]  
[src="string"]  
[srcfile="string"]  
[useragent="string"]>  
[]
```

This tag is also supported within cfscrip.

```
documentsection  
[authpassword="string"]  
[authuser="string"]  
[marginbottom="number"]  
[marginleft="number"]  
[marginright="number"]  
[margintop="number"]  
[mimetype="string"]
```

```
[name="string"]  
[src="string"]  
[srcfile="string"]  
[useragent="string"] {  
}
```

[] = Optional attribute

Description

Divides a PDF document into sections.

By using this tag in conjunction with a `cfdocumentitem` tag, each section can have unique headers, footers, and page numbers.

Body

This tag may have a body.

Attributes

The attributes for this tag are fixed. Except for the following attributes no other attributes are allowed.

Name	Type	Required	Description
authpassword	string	No	Password sent to the target URL for Basic Authentication. Combined with username to form a base64 encoded string that is passed in the Authenticate header. Does not provide support for Integrated Windows, NTLM, or Kerebos authentication.
authuser	string	No	User name sent to the target URL for Basic Authentication. Combined with password to form a base64 encoded string that is passed in the Authenticate header. Does not provide support for Integrated Windows, NTLM, or Kerebos authentication.
marginbottom	number	No	Specifies the bottom margin in inches (default) or centimeters. To specify the bottom margin in centimeters, include the unit="cm" attribute in the parent cfdocument tag.
marginleft	number	No	Specifies the left margin in inches (default) or centimeters. To specify the left margin in centimeters, include the unit="cm" attribute in the parent cfdocument tag.
marginright	number	No	Specifies the right margin in inches (default) or centimeters. To specify the right margin in centimeters, include the unit="cm" attribute in the parent cfdocument tag.
margintop	number	No	Specifies the top margin in inches (default) or centimeters. To specify the top margin in centimeters, include the unit="cm" attribute in the parent cfdocument tag.
mimetype	string	No	mimetype of the source (when attribute src or srcfile are defined)
name	string	No	Bookmark name for the section
src	string	No	define a url or or a relative path on the local system to a file that should be transfered to a pdf
srcfile	string	No	define a absolute path to a file that should be transfered to a pdf
useragent	string	No	Text to put in the HTTP User-Agent request header field. Used to identify the request client software.

 Categories:

- [TAG](#)