

Contents

- [cfgraph](#)
- [Syntax](#)
- [Description](#)
- [Body](#)
- [Attributes](#)

Return to [Tags](#) or [Functions](#)

cfgraph

Syntax

```
[backgroundcolor="string"]
[barspacing="number"]
[bordercolor="string"]
[borderwidth="string"]
[colorlist="string"]
[depth="number"]
[fileformat="string"]
[fill="number"]
[graphheight="number"]
[graphwidth="number"]
[gridlines="number"]
[itemcolumn="string"]
[itemlabelfont="string"]
[itemlabelorientation="string"]
[itemlabelsize="number"]
[legendfont="string"]
[linecolor="string"]
[linewidth="number"]
[query="string"]
[scalefrom="number"]
[scaletto="number"]
[showitemlabel="boolean"]
[showlegend="string"]
[showvalueLabel="boolean"]
[title="string"]
```

```
[titlefont="string"]
type="string"
[url="string"]
[urlcolumn="string"]
[valuecolumn="string"]
[valuelabelfont="string"]
[valuelabelsize="number"]
[valuelocation="string"]>
&
```

[] = Optional attribute

Description

Displays a graphical representation of data.

Body

This tag must have a body.

Attributes

The attributes for this tag are fixed. Except for the following attributes no other attributes are allowed.

Name	Type	Required	Description
backgroundcolor	string	No	Color of the chart background.
barspacing	number	No	Spacing between bars in the chart, in pixels.
bordercolor	string	No	Border color.
borderwidth	string	No	Border thickness, in pixels.
colorlist	string	No	Comma delimited list of colors to use for each data point.
depth	number	No	Depth of 3D chart appearance, in pixels.
fileformat	string	No	File type to be used for the output displayed in the browser.
fill	number	No	Width of the graph line, in pixels.
graphheight	number	No	Height of the graph, in pixels. Default is 240.
graphwidth	number	No	Width of the graph, in pixels. Default is 320.

gridlines	number	No	An integer that specifies the number of grid lines to display on the chart between the top and bottom lines.
itemcolumn	string	No	Query column that contains the item label for the corresponding data point. The item labels appear in the chart legend.
itemlabelfont	string	No	The font used for the item labels.
itemlabelorientation	string	No	Orientation of item labels.
itemlabelsize	number	No	The size of the item labels, in points.
legendfont	string	No	The font used to display the legend.
linecolor	string	No	The color used to draw the data line.
linewidth	number	No	Specifies whether to fill the area below the line with the line color to create an area graph.
query	string	No	Name of the query containing the data to graph. Required if you do not use cfgraphdata tags in the cfgraph tag body to specify the data values.
scalefrom	number	No	The minimum value of the graph value axis (the vertical axis for Bar charts, the horizontal axis for HorizontalBar charts).
scalet	number	No	The maximum value of the graph value axis.
showitemlabel	boolean	No	Specifies whether to put item labels on the horizontal axis of bar charts and the vertical axis of HorizontalBar charts.
showlegend	string	No	The placement of the legend that identifies colors with the data labels.
showvalue	boolean	No	Specifies whether values are displayed for the data points.
title	string	No	Title to display centered above the chart, or below the chart if the legend is above the chart.
titlefont	string	No	The font used to display the title.
type	string	Yes	Type of chart to display.
url	string	No	A URL to load when the user clicks any data point on the chart.
urlcolumn	string	No	Query column containing URL information to load when the user clicks the corresponding data point.
valuecolumn	string	No	Query column that contains the data values. Required if you do not use cfgraphdata tags in the cfgraph tag body to specify the data values.

valuefont	string	No	The font used to display data values.
valuefontsize	number	No	The size the value text, in points.
valuelocation	string	No	Where value labels are placed.

 Categories:

- [TAG](#)